




Automotive Parts > Automotive Connector Accessories > Automotive Connector Caps & Covers



Number of Positions: **54**

Primary Product Color: **Black**

Protection & Strain Relief Accessory Type: **Shield Assembly**

Primary Product Material: **PBT GF20**

Strain Relief: **Without**

Features

Product Type Features

Sealable	No
Protection & Strain Relief Accessory Type	Shield Assembly

Configuration Features

Compatible With Connector Code	A, D, H
Number of Positions	54

Body Features

Primary Product Color	Black
Primary Product Material	PBT GF20

Mechanical Attachment

Strain Relief	Without
---------------	---------

Usage Conditions

Operating Temperature (Max)	120 °C[248 °F]
Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]

Packaging Features

Packaging Method	Carton
Packaging Quantity	500

Other

Serviceable	No
-------------	----



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



Customers Also Bought



TE Part #160927-2
FF 250 REC 1.0-2.5MM2 TPBR



TE Part #165299
SOLIS DIN 1.5-2.5 R M6



TE Part #626064
2 WAY FASTIN-ON 110 HOUSING
REC PA66 NAT



TE Part #880297-1
6 WAY FF 250 HOUSING REC PA 6.6
NATURAL



TE Part #1625971-5
HSA25 10R 5%



TE Part #2066046-3
2 POS MINI FUSE BOX ASSY




TE Part #2380840-1
SDE F MCON 050 0.13-0.22mm2 ASSY



TE Part #2836116-2
OCEAN_2.0_Applicator-S-182F213FA-
RSA

TE Part #1-2066502-1
COVER, 2POS MINI FUSE BOX
HOUSING, MAT-2



TE Part #2-1411551-1
ELOSTD M5400U91

Documents

- CAD Files

Customer View Model

ENG_CVM_CVM_1-1355928-2_C.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-1355928-2_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1355928-2_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

- Product Specifications

54way ELO connector, three rowed

English

Application Specification

English

1-1355928-2

54 Position, Black, Shield Assembly, PBT GF20, -40 – 120 °C [-40 – 248 °F]

