



Potter & Brumfield W57

TE Internal #: 1-1423696-5

Insulation Boot, Straight, Silicone Rubber, Black, Bag, 0 – 60 °C [32 – 140 °F], Potter & Brumfield W57, Insulation Boots & Sleeves

[View on TE.com >](#)

Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Insulation Boots & Sleeves



Insulation Boot & Sleeve Product Type: **Insulation Boot**

Terminal Orientation: **Straight**

Primary Product Material: **Silicone Rubber**

Primary Product Color: **Black**

Packaging Method: **Bag**

**Features**

**Product Type Features**

Insulation Boot & Sleeve Product Type	Insulation Boot
---------------------------------------	-----------------

**Body Features**

Primary Product Material	Silicone Rubber
Primary Product Color	Black

**Contact Features**

Terminal Orientation	Straight
----------------------	----------

**Dimensions**

Product Length	15.8 mm[.622 in]
----------------	------------------

**Usage Conditions**

Operating Temperature Range	0 – 60 °C[32 – 140 °F]
-----------------------------	------------------------

**Packaging Features**

Packaging Quantity	100
Packaging Method	Bag

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts

 <p>TE Part # 5-1423364-9 W57-XB6A99C10-20=CKTBKR,THERM, PB,OC.250</p>	 <p>TE Part # 4-1423674-9 W54-XB2A99C10-25=CKTBKR,THERM, PB,OC.250</p>	 <p>TE Part # 5-1423364-6 W57-XB6A99C10-10=CKTBKR,THERM, PB,OC.250</p>	 <p>TE Part # 1423901-1 W54-XB2A4A10-5=CKTBKR,THERM,PB</p>
---	---	---	---



Also in the Series | **Potter & Brumfield W57**





Circuit Breakers(24)



Insulation Boots & Sleeves(2)

Customers Also Bought



## Documents

### CAD Files

#### 3D PDF

3D

#### Customer View Model

[ENG\\_CVM\\_CVM\\_1-1423696-5\\_O.2d\\_dxf.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_1-1423696-5\\_O.3d\\_igs.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_1-1423696-5\\_O.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

[W54 Push To Reset Only Thermal Circuit Breaker](#)

English