



Automotive Parts > Automotive Connectors > Automotive Housings > AMP Unsealed Connector Housing



Number of Positions: 17

Connector & Housing Type: Housing for Female Terminals

Mating Tab Width: 2.8 mm [.11 in]

Connector System: Wire-to-Board, Wire-to-Wire

Centerline (Pitch): 5 mm [.197 in]

[All AMP Unsealed Connector Housing \(109\)](#)

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector & Housing Type	Housing for Female Terminals
Connector System	Wire-to-Board, Wire-to-Wire
Sealable	No
Primary Locking Feature	Integrated in Housing
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	17
Number of Rows	3

Electrical Characteristics

Operating Voltage	28 VDC
-------------------	--------



Body Features

Cable Exit Angle	180°
Primary Product Color	Black

Contact Features

Contact Size	2.8mm
Contact Type	Receptacle
Mating Tab Width	2.8 mm[.11 in]
Contact Current Rating (Max)	30 A

Mechanical Attachment

Strain Relief	Without
Terminal Position Assurance	No
Mating Alignment Type	Polarizing Rib
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	PBT GF10
Centerline (Pitch)	5 mm[.197 in]

Dimensions

Row-to-Row Spacing	5.5 mm[.216 in]
Product Length	34.8 mm[1.37 in]
Connector Height	26.5 mm[1.04 in]

Usage Conditions

Operating Temperature (Max)	100 °C[212 °F]
Operating Temperature Range	-30 – 100 °C[-22 – 212 °F]

Operation/Application

Circuit Application	Power
---------------------	-------

Industry Standards

UL Flammability Rating	UL 94HB
------------------------	---------

Packaging Features

Packaging Method	Carton
Packaging Quantity	550



Other

Serviceable	No
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1355204-1
JUN-POW-TIM HSG 17P



TE Part # 1355204-2
JUN-POW-TIM GEH 17P



TE Part # 1-965930-1
JPT KURZSCHLUSSFED



TE Part # 967204-1
FLA-STE-GEH2,8 17P




TE Part # CAT-T4827-T273
TIMER, RECEPTACLE AND TAB



TE Part # 1-1579007-6
EXTRACTION TOOL


Also in the Series | AMP MCP Connector System




Automotive Connector Caps & Covers (25)




Automotive Connector Locks & Position Assurance(4)




Automotive Housings(257)



Automotive Seals & Cavity Plugs(5)



Automotive Terminals(7)



Other Automotive Connector Accessories(3)


Customers Also Bought



TE Part #953122-3
40W MQS COVER ASSY (15D)



TE Part #CAT-T4827-CH8172
Timer Connector Housing



TE Part #967633-1
2. KONT-SICHERUNG 15P




TE Part #1-1418480-1
7 POS MIXED REC HSG CODA



TE Part #2294463-1
MCON 1.2 CB TAB MONO



TE Part #2294463-2
MCON 1.2 CB TAB MONO



TE Part #2435077-2
TAB1.6X0.6,TERMINAL,SWS,SN



Documents

Product Drawings

JUN-POW-TIM HOUSING 17POS

English

JUN-POW-TIM HOUSING 17POS

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_1241581-1_A2.2d_dxf.zip

English

Customer View Model

ENG_CVM_1241581-1_A2.3d_igs.zip

English

Customer View Model

ENG_CVM_1241581-1_A2.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Engineering Specification

English

INTERFACE DRAWING FOR CONNECTOR 14. and 17POS WITH TAB 2.8x0.8

English