



Automotive Parts > Automotive Connector Accessories > Automotive Connector Caps & Covers



Number of Positions: 12
Primary Product Color: Brown
Protection & Strain Relief Accessory Type: Cover Assembly
Primary Product Material: PBT GF
Strain Relief: With

Features

Product Type Features

Protection & Strain Relief Accessory Type	Cover Assembly
---	----------------

Configuration Features

Compatible With Connector Code	3
Number of Positions	12

Body Features

Primary Product Color	Brown
Primary Product Material	PBT GF

Mechanical Attachment

Strain Relief	With
---------------	------

Usage Conditions

Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C [212 °F]
Operating Temperature Range	-40 – 100 °C[-40 – 212 °F]

Packaging Features

Packaging Method	Box
Packaging Quantity	1500

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-SIGH262
Signal Header




TE Part # 1379219-1
12POS MQS REC




TE Part # 1379093-1
COVER MQS 12W 90DE

Customers Also Bought







TE Part #464242-E
SRCP 1,27 12 F 1 IDC22 137 E1 162 1,27 T




TE Part #60573-1
187 FASTON REC 24-20 TPBR




TE Part #63837-1
110 FASTON REC 26-22 AWG TPBR




TE Part #144969-1
MQS0,63 Sn rec LL unseal. 0,2-0,6




TE Part #3-520370-2
ULTRA-FAST 110/125 ASY REC 16-14AWG TPBR




TE Part #963142-1
MQS SINGLE-WIRE SEAL FOR 4MM




TE Part #1379096-3
COV+LEV MQS 12W 90DEG BLK



TE Part #1670144-3
MCON 1.2 CB REC SRC AG



TE Part #2375593-2
OCEAN_2.0_Applicator-S-160F-RSA



TE Part #2458893-1
PROTECTION CAP, 26P, TAB HSG

Documents

Product Drawings
COV+LEV MQS 12W 90DEG BRO
English

CAD Files
Customer View Model
ENG_CVM_1379096-1_C.3d_igs.zip
English
Customer View Model
ENG_CVM_1379096-1_C.3d_stp.zip
English
Customer View Model
ENG_CVM_1379096-1_C.2d_dxf.zip
English
3D PDF
English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications



Product Specification

English

Instruction Sheets

Recommandations Generales D'Utilisation - 12 Voies MQS

English

Instruction Sheet (non U.S.)

English

Instruction Sheet (non U.S.)

French

Instruction Sheet (non U.S.)

English