




Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Cavity Blanking Plug**

Cavity Diameter: **3.6 mm [.142 in]**

Operating Temperature Range: **-40 – 130 °C [-40 – 266 °F]**

Primary Product Color: **Natural**

Primary Product Material: **Silicone**

Features

Product Type Features

Connector Seal & Plug Type	Cavity Blanking Plug
----------------------------	----------------------

Body Features

Primary Product Color	Natural
Primary Product Material	Silicone

Dimensions

Cavity Diameter	3.6 mm[.142 in]
-----------------	-----------------

Usage Conditions

Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]
Operating Temperature (Max)	130 °C[266 °F]

Other

Resistance to Hydrocarbons	Poor
Shore A Hardness	50
Contains Lubricant	No

Product Compliance



For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 2299987-3
65W PLUG ASSEMBLY



TE Part # 2299987-1
65W PLUG ASSEMBLY



TE Part # 1-1897725-3
MT-2 SLD 10 CAP HSG GRY




TE Part # 2299987-4
65W PLUG ASSEMBLY



TE Part # CAT-L489-CH8172
LEAVYSEAL Connector Housings



TE Part # 953756-3
PC 47V RIGHT BLACK



TE Part # 953756-9
47W RCPT HSG ASSY



TE Part # 2-1897726-3
MT-2 SLD 10 PLUG ASSY GRY



Customers Also Bought

TE Part #963530-1
EINZELLEITERDICHTNG

TE Part #964972-1
EINZELLEITERDICHTNG

TE Part #1-969489-2
6POS MQS REC COD A

TE Part #4-1241732-1
MT3 REC 1.6 Contact SRC Au

TE Part #1394139-1
8POS MQS REC

TE Part #1579008-9
INSERTION TOOL

TE Part #2112233-1
COVER,90,FOR 46POS

TE Part #2141828-1
MQS0,63 Sn tab LL unseal. 0,13-0,17

TE Part #2236269-2
24POS, MIXED, REC HSG,
20GENYMCP, ASSY, CODB

TE Part #1-2345984-1
SSR3T-480D10=3PH SERIS-TRI, PANEL
MOUNT

Documents

Product Drawings
BLINDSTOPFEN F.D3,6
German

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_1394132-1_A.2d_dxf.zip
English
Customer View Model
ENG_CVM_CVM_1394132-1_A.3d_igs.zip
English
Customer View Model
ENG_CVM_CVM_1394132-1_A.3d_stp.zip
English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.



Datasheets & Catalog Pages

HDSCS CAN Bus Y-Connector and 120 Resistor Brochure

English

HDSCS Catalog

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

French

Instruction Sheets

Instruction Sheet (non U.S.)

French

Agency Approvals

UL

English