




Automotive Parts > Automotive Connector Accessories > Automotive Connector Caps & Covers



Number of Positions: 26

Primary Product Color: Yellow

Protection & Strain Relief Accessory Type: Shield Assembly

Strain Relief: With

Operating Temperature (Max): 100 °C [212 °F]

Features

Product Type Features

Protection & Strain Relief Accessory Type	Shield Assembly
---	-----------------

Configuration Features

Number of Positions	26
---------------------	----

Body Features

Primary Product Color	Yellow
-----------------------	--------

Mechanical Attachment

Strain Relief	With
---------------	------

Usage Conditions

Operating Temperature (Max)	100 °C[212 °F]
Operating Temperature Range	-40 – 100 °C[-40 – 212 °F]

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant



China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 144932-1
SHIELD FOR MQS 26 POS

Customers Also Bought

TE Part #144935-1
26POS MQS REC

TE Part #144936-1
LOCKING DEVICE MQS

TE Part #180941-5
FF 250 REC HSG 3P NYLON BLACK

TE Part #CAT-T4827-CH8172
Timer Connector Housing





TE Part #1-968849-2
AMP MCP 2.8, CONTACT



TE Part #7-1452656-3
MCON 1.2 LL REC SRC AG



TE Part #2141029-1
FUSE BOX ASSY, HARD WIRED



TE Part #2141034-1
FUSE BOX ASSY, HARD WIRED, PRE FUSE



TE Part #2292862-3
AS16, CAP BACKSHELL KIT, ST, 04P, NC12

Documents

Product Drawings
SHIELD MQS 26P ASS'Y

English

CAD Files
Customer View Model
ENG_CVM_144934-1_C.3d_igs.zip
English
Customer View Model
ENG_CVM_144934-1_C.3d_stp.zip
English
Customer View Model
ENG_CVM_144934-1_C.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications
Product Specification

English