

#### PIDG

TE Internal #: 165049

Wire Pin, 2.6 mm [.102 in] Pin Diameter, 12 – 10 AWG, 2.62 – 6.64 mm<sup>2</sup> Wire, 5180 – 13100 CMA, Closed Barrel, Tin Plating, PIDG

View on TE.com >





Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules > PIDG Formed Wire Pins











Crimp Wire Terminal Type: Wire Pin

Mating Pin Diameter: 2.6 mm [ .102 in ]

Compatible Insulation Diameter Range: 6.3 mm [ .25 in ]

Wire Size: 2.62 – 6.64 mm<sup>2</sup>

All PIDG Formed Wire Pins (6)

### **Features**

### **Product Type Features**

Contact Fabrication

Mating Pin Diameter

Crimp Wire Terminal Type

Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Compatible With Wire & Cable Type	Discrete Wire
Body Features	
Sleeve Material	Nylon
Primary Product Color	Yellow
Insulation Material	Nylon
Contact Features	
Contact Mating Area Length	10 mm[.39 in]

Stamped & Formed

Wire Pin

2.6 mm[.102 in]



Barrel Type	Closed
Terminal Plating Material	Tin
Contact Shape & Form	Round
Terminal Orientation	Straight
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
DIN Wire Size	2.62 – 6.64 mm²
Compatible Insulation Diameter Range	6.3 mm[.25 in]
Wire Size	5180 – 13100 CMA
Barrel Inside Diameter	6.4 mm[.253 in]
Terminal Material Thickness	.99 mm[.039 in]
Overall Product Length	29.08 mm[1.145 in]
Usage Conditions	
Insulation Option	Partially Insulated
Packaging Features	
Packaging Quantity	500
Packaging Method	Loose Piece

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



















Also in the Series | PIDG





Compression Connectors(17)



Crimp Wire Pins, Tabs & Ferrules(41)




Knife Disconnects(11)



Quick Disconnects(38)



Ring Terminals(589)



Spade Terminals(228)



Special Purpose Terminals(1)



Splices(41)

# Customers Also Bought




TE Part #ZPF000000000087548
DTB 24 B 13-98 BN



TE Part #EXP5-1KPS-C00001 XP5-X-1KPS



TE Part #35345
TERMINAL,PIDG R 12-10 1/4



TE Part #9-160583-6 250 PIDG FASTON REC



TE Part #165133 PIDG WIRE PIN



TE Part #165168
TERM, WIRE PIN, PIDG, 22-16



TE Part #328730 SPLICE,N CE 22-10



TE Part #1-1986692-2
STR PLUG SPRING TYPE RH 12P, 3.50
mm



TE Part #ZPF000000000015778
DTB 24 B 17-35 BN

## **Documents**

MINI I/O PLUG KIT TYPE II M



### **Product Drawings**

TERM, WIRE PIN, PIDG, 12 - 10, -ASI

English

#### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_165049\_J.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_165049\_J.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_165049\_J.3d\_stp.zip

English

3D PDF

English

**Customer View Model** 

ENG\_CVM\_165049\_G.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_165049\_G.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_165049\_G.2d\_dxf.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

### Datasheets & Catalog Pages

PIDG TERMINALS & SPLICES Quick Reference Guide

English

**Instruction Sheets** 

Instruction Sheet (U.S.)

English

Agency Approvals

**UL Report** 

English