



Automotive Parts > Automotive Connector Accessories > Automotive Connector Caps & Covers > Heavy Duty Sealed Connector Series Cap



Number of Positions: 2, 3

Primary Product Color: Black

Protection & Strain Relief Accessory Type: Cover

Primary Product Material: PA

Cable Exit Angle: 180°

[All Heavy Duty Sealed Connector Series Cap \(10\)](#)

Features

Product Type Features

Sealable	Yes
Protection & Strain Relief Accessory Type	Cover

Configuration Features

Number of Positions	2, 3
---------------------	------

Body Features

Primary Product Color	Black
Primary Product Material	PA
Cable Exit Angle	180°

Mechanical Attachment

Strain Relief	Without
---------------	---------

Usage Conditions

Compatible With Connector Style	Housing For Male Terminals
Operating Temperature (Max)	140 °C[284 °F]



Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]
-----------------------------	----------------------------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Box
Packaging Quantity	1000

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | Heavy Duty Sealed Connector Series



Customers Also Bought





TE Part #1823444-1
ADAPTER,FOR A-PILLAR,ASSY

TE Part #CAT-L489-SL34
LEAVYSEAL Locking Slides

TE Part #87805-000
PSS-X1379B WITH BRACKET

TE Part #282104-2
AMP SUPERSEAL 1.5 SERIES 2P CA

TE Part #K1151721-4
Relay 26-56-08-922 CV750

Documents

Product Drawings
PROTECTION CAP,GROUP A,ASSY
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_2112289-1_B_c-2112289-1-b.2d_dxf.zip
English
Customer View Model
ENG_CVM_CVM_2112289-1_B_c-2112289-1-b.3d_igs.zip
English
Customer View Model
ENG_CVM_CVM_2112289-1_B_c-2112289-1-b.3d_stp.zip
English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages
Heavy Duty Sealed Connector Series
English
HDSCS CAN Bus Y-Connector and 120 Resistor Brochure
English
HDSCS Catalog
English
ICT Terminals and Connectors Catalogue
English



CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English