

### CGS | CGS 3520

TE Internal #: 1622820-4

10 ohm, Surface Mount Power Resistor, Thick Film, 2512, 1 W, 5 %, ±200 ppm/°C, Solder, 2 Terminations, .6 mm [.024 in] Height, CGS

3520

View on TE.com >



Passive Components > Resistors > Surface Mount Resistors > SMD Power Resistor: 1 Watt, 3520 Series



Resistor Type: Power Resistor

Element Type: **Thick Film**Package Size Code: **2512** 

Power Rating: 1 WResistance Value:  $10 \Omega$ 

All SMD Power Resistor: 1 Watt, 3520 Series (132)

### **Features**

### **Product Type Features**

Number of Terminations

**Dimensions** 

Product Height

Troduct Type realures	
Resistor Type	Power Resistor
Element Type	Thick Film
Package Size Code	2512
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Operating Voltage	200 V
Power Rating	1 W
Resistance Value	10 Ω
Resistance Class	Up to $1k\Omega$
Passive Component Tolerance	5 %
Termination Features	
Surface Mount Resistor Termination Type	Solder

2

.6 mm[.024 in]



Product Length	6.4 mm[.252 in]
Product Width	3.2 mm[.126 in]
Usage Conditions	
Temperature Coefficient	±200 ppm/°C
Packaging Features	
Packaging Method	Taped & Reeled

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts





## Also in the Series | CGS 3520



# Customers Also Bought





2 WAY REC HSG. SIL SEAL ECONO


















10 ohm, Surface Mount Power Resistor, Thick Film, 2512, 1 W, 5 %, ±200 ppm/°C, Solder, 2 Terminations, .6 mm [.024 in] Height, CGS 3520



### **Documents**

### **Product Drawings**

3520 10R 5%

English

3520 10R 5%

English

#### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_1622820-4\_BA.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1622820-4\_BA.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1622820-4\_BA.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

1309350\_PASSIVE\_COMPONENT

English

SMD Power Resistors - Type 3520 Series - Tyco Electronics Passives

English