




Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Family Seal**

Operating Temperature Range: **-40 – 120 °C [-40 – 248 °F]**

Primary Product Color: **Natural**

Primary Product Material: **Silicone**

Shore A Hardness: **30**

Features

Product Type Features

Connector Seal & Plug Type	Family Seal
----------------------------	-------------

Configuration Features

Number of Positions	42
---------------------	----

Body Features

Primary Product Color	Natural
Primary Product Material	Silicone

Usage Conditions

Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]
Operating Temperature (Max)	120 °C[248 °F]

Packaging Features

Packaging Method	Bag
Packaging Quantity	200

Other

Shore A Hardness	30
Contains Lubricant	Yes



Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Decamethylcyclopentasiloxane (D5) (.5% in 14550865765) Octamethylcyclotetrasiloxane (D4) (.13% in 14550865765) <b>Article Safe Usage Statements:</b> Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Customers Also Bought



TE Part #DRC26-50S08  
[PLG, 50P, BLK, N, 08](#)



TE Part #2428-015-1805  
[BKSHL, 18SZ, BLK, RA,NW13/17/19, L017,HDP](#)



TE Part #CAT-T4827-CH8172  
[Timer Connector Housing](#)



TE Part #936429-2  
[HYBRID 42P CAP ASSY BLK](#)





TE Part #936614-2  
HYBRID 42P CAP COVER HSG



TE Part #936615-2  
HYBRID 42P PLUG COVER HSG



TE Part #CAT-T4827-T273  
TIMER, RECEPTACLE AND TAB



TE Part #2304927-2  
MICRO-RELAY RETAINER

Documents

CAD Files

Customer View Model

ENG\_CVM\_CVM\_936863-1\_99.2d\_dxf.zip

English

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_936863-1\_99.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_936863-1\_99.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

English